

BONAM VENKATA CHALAMAYYA INSTITUTE OF TECHNOLOGY AND SCIENCE
GRIEVANCE REDRESSAL CELL

Form for sharing grievances (Applicable to Students, Teaching & Non-Teaching staff)

Date:

Sl No.	Type or category of grievance	Brief description of the grievance	Given by: (Name, ID, Sem & Dept./ Designation)	Date of grievance raising	Additional remarks, if any
1.	Academics	Entry of marks is wrong. Instead of 12, 11 marks displayed in notice board (HMM)	S. Chinnari 22H4JA0141	24/4/24	

Related concerns, if any: _____

S. Chinnari
Signature

For Grievance Redressal Cell use only:

Office/Section/Department/ I/C Person the grievance belongs to	To be attended/acted upon by (name of the designated official)	Grievance raised on (date)	To be attended by (timeline)	Remarks, if any
Civil Exam section Incharge	P. Sivanadh	24/04/24	25/04/24	Grievance solved

Space for comments: Typing mistake and marks are updated as 12 marks and deployed.

Signatures and remarks of Approving authority (Principal/Management): _____



PRINCIPAL
 BVC Institute of Technology & Science
 BATLAPALEM, AMALAPURAM - 533 221

S No	Regd. No	CVSM		SMII		H&HM		EE		MEFA	
		R2022011		R2022012		R2022013		R2022014		R2022015	
		1mid	2mid	1mid	2mid	1mid	2mid	1mid	2mid	1mid	2mid
		mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15
1	22H41A0101	12	14	14	13	13	12	14	14	14	13
2	22H41A0102	15	15	15	14	14	15	15	14	14	14
3	22H41A0103	14	14	15	14	14	13	14	14	14	14
4	22H41A0104	15	14	15	13	14	13	14	14	13	14
5	22H41A0105	15	14	15	15	15	15	15	13	14	14
6	22H41A0106	12	13	14	12	14	12	14	14	12	13
7	22H41A0107	15	14	15	13	15	15	15	14	14	15
8	22H41A0108	15	15	15	14	15	15	15	14	13	15
9	22H41A0109	15	14	15	13	15	15	15	14	13	13
10	22H41A0110	15	15	15	13	15	11	15	14	12	15
11	22H41A0111	15	15	14	14	14	12	15	14	12	11
12	22H41A0112	15	14	15	15	15	12	15	14	13	13
13	22H41A0113	9	15	14	14	13	14	15	14	12	13
14	22H41A0114	12	14	15	14	13	12	15	14	12	14
15	22H41A0115	15	15	14	14	14	12	15	14	13	12
16	22H41A0116	15	15	15	13	15	14	15	14	13	15
17	22H41A0117	13	15	15	14	14	14	15	12	14	14
18	22H41A0118	10	13	14	13	14	12	15	13	10	11
19	22H41A0119	13	14	14	14	14	11	15	14	12	11
20	22H41A0120	13	15	15	13	15	15	15	14	13	14
21	22H41A0121	15	15	15	15	14	13	15	13	14	11
22	22H41A0122	13	14	14	13	14	10	15	13	12	11
23	22H41A0123	12	15	15	13	14	10	15	14	12	12
24	22H41A0124	15	15	15	14	14	12	13	14	12	12
25	22H41A0125	10	14	15	13	13	12	14	12	12	12
26	22H41A0126	7	15	10	12	10	9	12	14	10	9
27	22H41A0127	15	15	15	13	13	12	14	14	13	15
28	22H41A0128	13	15	14	14	13	13	15	14	12	15
29	22H41A0129	10	14	14	13	13	12	15	14	12	14

S No	Regd. No	CVSM		SMII		H & HM		EE		MEFA	
		R2022011		R2022012		R2022013		R2022014		R2022015	
		1mid	2mid	1mid	2mid	1mid	2mid	1mid	2mid	1mid	2mid
		mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15
30	22H41A0130	12	13	11	13	14	10	10	14	9	13
31	22H41A0131	13	14	15	14	15	14	15	14	11	15
32	22H41A0132	15	14	15	14	15	12	15	14	14	14
33	22H41A0133	13	14	15	14	15	11	15	14	12	14
34	22H41A0134	14	15	14	14	14	14	15	14	14	15
35	22H41A0135	15	13	15	13	12	13	15	14	14	13
36	22H41A0136	13	14	14	13	15	12	14	13	12	10
37	22H41A0137	7	14	15	13	13	12	15	14	11	12
38	22H41A0138	15	14	13	14	13	13	15	14	12	11
39	22H41A0139	15	15	15	15	14	12	15	14	12	11
40	22H41A0140	10	12	8	10	12	10	14	14	8	10
41	22H41A0141	12	14	14	13	11	11	15	14	12	12
42	22H41A0142	12	15	15	12	14	11	15	14	14	15
43	22H41A0143	12	15	14	13	14	13	14	14	12	12
44	22H41A0144	14	15	15	15	15	12	15	14	12	12
45	22H41A0145	10	14	9	9	10	8	13	10	13	7
46	22H41A0147	15	15	15	15	15	15	15	14	14	14
47	23H45A0101	13	15	14	13	14	10	12	14	12	11
48	23H45A0102	14	15	13	13	14	9	13	14	12	11
49	23H45A0103	7	12	11	13	10	11	13	14	10	14
50	23H45A0104	11	14	15	13	13	11	13	9	11	7
51	23H45A0105	15	13	15	14	14	15	15	14	13	13
52	23H45A0106	13	12	13	13	11	10	14	14	10	10
53	23H45A0107	14	12	15	14	11	11	15	14	12	9
54	23H45A0108	6	11	13	13	14	10	14	14	12	9
55	23H45A0109	10	15	15	13	14	13	13	13	10	13

Signature of the Faculty:

Dept. Exams Incharge

H.O.D

Exams Incharge

Principal

PRINCIPAL

BVC Institute of Technology & Science
RATLAPEM-533 221



S No	Regd. No	CVSM		SMII		H&HM		EE		MEFA	
		R2022011		R2022012		R2022013		R2022014		R2022015	
		1mid	2mid	1mid	2mid	1mid	2mid	1mid	2mid	1mid	2mid
		mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15
1	22H41A0101	12	14	14	13	13	12	14	14	14	13
2	22H41A0102	15	15	15	14	14	15	15	14	14	14
3	22H41A0103	14	14	15	14	14	13	14	14	14	14
4	22H41A0104	15	14	15	13	14	13	14	14	13	14
5	22H41A0105	15	14	15	15	15	15	15	13	14	14
6	22H41A0106	12	13	14	12	14	12	14	14	12	13
7	22H41A0107	15	14	15	13	15	15	15	14	14	15
8	22H41A0108	15	15	15	14	15	15	15	14	13	15
9	22H41A0109	15	14	15	13	15	15	15	14	13	13
10	22H41A0110	15	15	15	13	15	11	15	14	12	15
11	22H41A0111	15	15	14	14	14	12	16	14	12	11
12	22H41A0112	15	14	15	15	15	12	15	14	13	13
13	22H41A0113	09	15	14	14	13	14	15	14	12	13
14	22H41A0114	12	14	15	14	13	12	16	14	12	14
15	22H41A0115	15	15	14	14	14	12	15	14	13	12
16	22H41A0116	15	15	15	13	15	14	16	14	13	15
17	22H41A0117	13	15	15	14	14	14	16	12	14	14
18	22H41A0118	10	13	14	13	14	12	16	13	10	11
19	22H41A0119	13	14	14	14	14	11	15	14	12	11
20	22H41A0120	13	15	15	13	15	15	16	14	13	14
21	22H41A0121	15	15	15	15	14	13	15	13	14	11
22	22H41A0122	13	14	14	13	14	10	15	13	12	11
23	22H41A0123	12	15	15	13	14	10	15	14	12	12
24	22H41A0124	15	15	15	14	14	12	13	14	12	12
25	22H41A0125	10	14	15	13	13	12	14	12	12	12
26	22H41A0126	07	15	10	12	10	9	12	14	10	09
27	22H41A0127	15	15	15	13	13	12	14	14	13	15
28	22H41A0128	13	15	14	14	13	13	15	14	12	15
29	22H41A0129	10	14	14	13	13	12	15	14	12	14

S No	Regd. No	CVSM		SMII		H&HM		EE		MEFA	
		R2022011		R2022012		R2022013		R2022014		R2022015	
		1mid	2mid	1mid	2mid	1mid	2mid	1mid	2mid	1mid	2mid
		mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15
30	22H41A0130	12	13	11	13	14	10	10	14	9	13
31	22H41A0131	13	14	15	14	15	14	15	14	11	15
32	22H41A0132	15	14	15	14	15	12	15	14	14	14
33	22H41A0133	13	14	15	14	15	11	15	14	12	14
34	22H41A0134	14	15	14	14	14	14	15	14	14	15
35	22H41A0135	15	13	15	13	12	13	15	14	14	13
36	22H41A0136	13	14	14	13	15	12	14	13	12	10
37	22H41A0137	07	14	15	13	13	12	15	14	11	12
38	22H41A0138	15	14	13	14	13	13	15	14	12	11
39	22H41A0139	15	15	15	15	14	12	15	14	12	11
40	22H41A0140	10	12	08	10	12	10	14	14	08	10
41	22H41A0141	12	14	14	13	11	12	16	14	12	12
42	22H41A0142	12	15	15	12	14	11	15	14	14	15
43	22H41A0143	12	15	14	13	14	13	14	14	12	12
44	22H41A0144	14	15	15	15	15	12	15	14	12	12
45	22H41A0145	10	14	09	09	10	8	13	10	13	07
46	22H41A0147	15	15	15	15	15	15	15	14	14	14
47	23H45A0101	13	15	14	13	14	10	12	14	12	4
48	23H45A0102	14	15	13	13	14	9	13	14	12	11
49	23H45A0103	07	12	11	13	10	11	13	14	10	14
50	23H45A0104	11	14	15	13	13	11	13	09	14	07
51	23H45A0105	15	13	15	14	14	15	15	14	13	13
52	23H45A0106	13	12	13	13	11	10	14	14	10	10
53	23H45A0107	14	12	15	14	11	11	15	14	12	09
54	23H45A0108	06	11	13	13	14	10	14	14	12	09
55	23H45A0109	10	15	15	13	14	13	13	13	10	13

Signature of the Faculty:

Dept. Exams Incharge

Exams Incharge

Principal



PRINCIPAL
BVC Institute of Technology & Science
RATLAPALEM - 533 221

BONAM VENKATA CHALAMAYYA INSTITUTE OF TECHNOLOGY AND SCIENCE
GRIEVANCE REDRESSAL CELL

Form for sharing grievances (Applicable to Students, Teaching & Non-Teaching staff)

Date: 25/9/23

Sl No.	Type or category of grievance	Brief description of the grievance	Given by: (Name, ID, Sem & Dept./ Designation)	Date of grievance raising	Additional remarks, if any
1.	Academic	wrong entry Pn III - I sem mid-term Pn PS-I subject instead of absent he got 10 marks & revised marks displayed in notice board	P. POORNA TEJA (21H4/A024)	25/9/23	

Related concerns, if any:

P. POORNA TEJA
Signature

For Grievance Redressal Cell use only:

Office/Section/Department/ I/C Person the grievance belongs to	To be attended/acted upon by (name of the designated official)	Grievance raised on (date)	To be attended by (timeline)	Remarks, if any
Exam section	Ch. S. Chandra Blavani	25/9/23	26/9/23	Grievance solved
EEE incharge	Asst. prof			

Space for comments:

Typing mistake & marks are updated to 10 & same displayed in notice board.

Signatures and remarks of Approving authority (Principal/Management)



PRINCIPAL
 BVC Institute of Technology & Science
 BATLAPALEM, AMALAPURAM - 535 221

Sl. No.	Regd. No	PS - II		PE		CS		U.E.E.		OOP JAVA	
		B2010021		B2010022		B2010023		B2010020		B2010025	
		Enid	2nd	Enid	2nd	Enid	2nd	Enid	2nd	Enid	2nd
mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	
1	20H41A0232	9	10	7	9	10	10	9	12	9	15
2	21H41A0201	14	11	11	14	10	13	10	13	15	15
3	21H41A0202	7	2	0	3	0	3	5	4	7	7
4	21H41A0204	14	13	10	15	15	11	14	12	15	15
5	21H41A0205	14	12	10	10	10	10	13	11	15	15
6	21H41A0207	13	10	8	10	6	9	11	11	13	12
7	21H41A0208	3	A	5	A	5	1	1	0	6	9
8	21H41A0209	9	10	4	10	7	8	5	7	8	7
9	21H41A0210	11	9	10	10	9	8	8	5	9	8
10	21H41A0211	4	6	4	2	11	0	5	2	6	5
11	21H41A0212	2	6	6	4	2	6	6	4	7	9
12	21H41A0213	1	A	2	A	0	A	2	A	7	A
13	21H41A0215	5	12	8	9	3	8	3	3	7	12
14	21H41A0216	12	14	8	8	8	12	15	14	11	15
15	21H41A0218	13	11	10	14	13	13	9	9	14	13
16	21H41A0219	14	13	12	14	14	12	15	13	14	15
17	21H41A0220	8	9	8	10	8	11	3	11	10	11
18	21H41A0221	10	12	7	8	5	12	11	9	12	13
19	21H41A0222	1	A	3	A	0	0	2	A	0	6
20	21H41A0223	5	A	1	0	6	3	0	A	0	8
21	21H41A0224	5	A	1	0	0	0	0	A	10	3
22	21H41A0225	10	10	3	2	8	9	6	6	10	13
23	21H41A0226	13	13	8	10	14	14	11	12	15	15
24	21H41A0227	10	10	7	8	3	8	9	2	11	11
25	21H41A0228	14	12	8	13	12	10	11	8	13	13
26	21H41A0229	8	9	8	7	5	2	4	6	8	7
27	21H41A0230	7	10				10	5	3	12	15
28	21H41A0231	12	14				14	15	14	15	14

(Handwritten signature)



PRINCIPAL
BVC Institute of Technology & Science
BATLAPELEM, AMALAPURAM

Sl. No	Regd. No	PS-II R2011024		PE R2011027		CS R2011029		FEE R2011028		OOP JAVA R2011025		S. No	
		1st sem 15	2nd sem 15	1st sem 15	2nd sem 15	1st sem 15	2nd sem 15	1st sem 15	2nd sem 15	1st sem 15	2nd sem 15		
28	21H41A0232	8	9 ✓	6	7 ✓	3	9 ✓	9	9 ✓	12	8	57	
29	21H41A0233	14	11 ✓	11	8 ✓	10	6 ✓	9	7 ✓	14	10	58	
30	21H41A0234	7	9 ✓	6	6 ✓	2	6 ✓	7	12 ✓	9	7	59	
31	21H41A0235	15	15 ✓	15	15 ✓	15	15 ✓	15	15 ✓	15	15	60	
32	21H41A0237	15	14 ✓	13	14 ✓	14	15 ✓	15	15 ✓	15	15	61	
33	21H41A0238	4	1 ✓	1	3 ✓	5	5 ✓	6	6 ✓	7	3 ✓	62	
34	21H41A0239	5	A ✓	8	A ✓	6	2 ✓	A	7 ✓	A	6 ✓	63	
35	21H41A0240	8	7 ✓	9	11 ✓	11	A ✓	12	9 ✓	8	12	64	
36	21H41A0241	6	7 ✓	9	6 ✓	12	10 ✓	7	4 ✓	13	13	65	
37	21H41A0242	11	11 ✓	9	12 ✓	11	13 ✓	11	10 ✓	12	15	66	
38	21H41A0243	10	8 ✓	8	9 ✓	9	5 ✓	8	8 ✓	6	15	67	
39	21H41A0244	14	A ✓	11	A ✓	13	A ✓	13	A ✓	12	A ✓	68	
40	21H41A0245	13	12 ✓	10	11 ✓	14	14 ✓	14	10 ✓	10	12	69	
41	21H41A0246	13	10 ✓	10	14 ✓	14	12 ✓	13	12 ✓	13	15	70	
42	21H41A0247	13	7 ✓	10	14 ✓	13	12 ✓	11	12 ✓	11	12	71	
43	21H41A0248	13	14 ✓	14	14 ✓	14	14 ✓	14	15 ✓	15	15	72	
44	21H41A0249	12	9 ✓	12	14 ✓	9	13 ✓	10	14 ✓	14	15	73	
45	21H41A0250	4	5 ✓	8	2 ✓	5	A ✓	1	0 ✓	3	12	74	
46	21H41A0251	13	13 ✓	13	5 ✓	12	11 ✓	14	14 ✓	13	14	75	
47	21H41A0252	4	A ✓	0	A ✓	2	4 ✓	4	A ✓	A	4	76	
48	21H41A0253	15	10 ✓	10	14 ✓	13	11 ✓	12	13 ✓	13	14	77	
49	21H41A0254	14	9 ✓	8	11 ✓	13	14 ✓	12	10 ✓	10	11	78	
50	21H41A0255	15	12 ✓	13	8 ✓	10	10 ✓	12	11 ✓	14	15	79	
51	21H41A0256	15	14 ✓	12	12 ✓	12	15 ✓	15	15 ✓	15	15	80	
52	21H41A0257	12	12 ✓	8	8 ✓	10	12 ✓	8	8 ✓	8	12	81	
53	21H41A0258	8	8 ✓	8	8 ✓	6	6 ✓	7	1 ✓	10	8	82	
54	21H41A0259	13	13 ✓	13	13 ✓	13	11 ✓	12	9 ✓	11	12	83	
55	21H41A0260	4	4 ✓	4	4 ✓	4	9 ✓	5	10 ✓	8 ✓	5	13	84

[Handwritten Signature]



PRINCIPAL
BVC Institute of Technology & Science
BATLAPALEM, AMALAPURAM - 522 21

BONAM VENKATA CHALAMAYYA INSTITUTE OF TECHNOLOGY AND SCIENCE

GRIEVANCE REDRESSAL CELL

Form for sharing grievances (Applicable to Students, Teaching & Non-Teaching staff)

Date: _____

Sl No.	Type or category of grievance	Brief description of the grievance	Given by: (Name, ID, Sem & Dept./ Designation)	Date of grievance raising	Additional remarks, if any
1.	Academics	wrong entry of 4th yr 1st Sem marks of UCNP instead of 5 th marks is posted instantly	20HY1A0302 Budithi Nandini	6/12/23	

Related concerns, if any: _____

Signature B. Reddy

For Grievance Redressal Cell use only:

Office/Section/Department/ I/C Person the grievance belongs to	To be attended/acted upon by (name of the designated official)	Grievance raised on (date)	To be attended by (timeline)	Remarks, if any
Department of Exam Section incharge	P. S. R. Durga	7/12/23		Grievance Redressal Cell

Space for comments: _____

Typing mistake in notice board display updated to 6 marks.

Signatures and remarks of Approving authority (Principal/Management): _____



PRINCIPAL

BVC Institute of Technology & Science
BATTI APURAM, AMALAPURAM - 533 221

[Signature]

Regd. No	UHV2 R2041011		UMP R2041011		PPE R2041011		NDE R204101G		SE R204101G		DM R204101V		
	1mid	2mid	1mid	2mid	1mid	2mid	1mid	2mid	1mid	2mid	1mid	2mid	
	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	
20H41A0301	20	26	15	15	9	12	10	11	10	13	12	12	
20H41A0302	25	25	15	16	10	11	7	8	11	15	14	10	
20H41A0303	25	25	12	14	3	12	8	10	6	12	12	9	
20H41A0305	20	20	7	12	-1	7	-1	-1	4	10	-1	0	
20H41A0307	20	20	-1	13	0	-1	-1	-1	-1	12	-1	10	
20H41A0308	20	20	10	7	14	0	-1	-1	-1	6	12	-1	10
20H41A0309	20	20	14	13	0	-1	-1	-1	7	-1	-1	5	
20H41A0310	24	24	15	14	8	12	7	6	7	11	12	10	
20H41A0311	20	20	15	14	0	9	-1	6	9	11	-1	11	
20H41A0312	26	26	12	14	2	12	-1	7	7	11	-1	9	
20H41A0313	28	28	14	14	0	7	7	5	8	10	9	11	
21H45A0301	24	28	15	15	4	15	8	12	7	14	11	13	
21H45A0302	23	24	15	15	11	14	10	12	11	14	11	14	
21H45A0303	23	24	15	15	-1	14	10	12	10	13	13	14	
21H45A0304	24	16	15	15	10	14	11	11	12	11	12	9	
21H45A0305	24	26	15	15	13	13	12	13	12	13	14	9	
21H45A0306	24	26	15	15	11	14	11	4	12	12	13	13	
21H45A0307	23	24	14	15	14	15	11	12	6	14	11	10	
21H45A0308	22	24	15	15	10	14	9	12	7	13	9	14	
21H45A0309	23	24	15	15	14	15	11	11	10	10	11	12	
21H45A0310	22	22	15	14	10	12	10	13	10	9	10	11	
21H45A0311	20	20	15	15	14	15	11	10	8	12	12	14	
21H45A0312	20	20	10	14	15	3	10	-1	9	2	9	12	8
21H45A0313	20	20	24	15	15	14	12	12	15	11	14	10	12
21H45A0314	20	20	18	13	14	13	5	9	12	7	9	9	7
21H45A0315	20	20	14	7	15	8	14	5	12	5	12	12	13
21H45A0316	20	20	20	15	15	8	12	11	13	7	11	13	12
21H45A0317	20	20	18	15	15	8	13	11	13	8	11	14	13
21H45A0318	20	20	26	15	15	5	11	11	9	12	11	13	



PRINCIPAL
 Institute of Technology & Science
 AMALAPURAM - 533 224

7.6

Regd. No	UHV2 R2041011		UMP R204103C		PPE R204103H		NDE R204103J		SE R204101Q		DM R204101V	
	1mid	2mid	1mid	2mid	1mid	2mid	1mid	2mid	1mid	2mid	1mid	2mid
	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15
21H45A0319	22	22	15	15	11	15	10	9	7	13	10	12
21H45A0320	26	26	15	15	14	12	12	11	10	13	12	12
21H45A0321	24	24	15	15	10	9	10	11	7	13	13	12
21H45A0322	20	10	7	10	1	5	5	2	3	8	7	6
21H45A0323	22	22	13	15	7	12	12	14	8	11	11	11
21H45A0324	24	24	14	15	12	12	12	12	5	11	11	12
21H45A0325	26	26	15	15	10	12	9	12	7	12	11	10
21H45A0326	25	22	15	15	10	11	11	13	6	10	10	10
21H45A0327	21	26	15	15	13	13	11	14	10	15	14	13
21H45A0328	10	22	14	14	8	12	8	13	9	10	9	11
21H45A0329	14	14	14	15	10	12	8	12	8	12	12	11
21H45A0330	16	22	15	15	12	12	10	11	8	12	11	14
21H45A0331	22	24	15	15	12	12	10	13	8	12	10	13
21H45A0332	23	28	15	15	13	14	12	14	11	12	10	12
21H45A0333	23	28	15	15	13	11	11	13	8	11	10	13
21H45A0334	24	18	13	15	4	10	-1	7	5	10	-1	11
21H45A0335	26	26	14	15	10	15	10	11	8	12	-1	13
21H45A0336	22	22	15	15	9	10	10	11	9	10	10	11
21H45A0337	26	26	14	15	14	15	10	14	9	11	9	12
21H45A0338	28	28	14	15	13	13	9	14	8	13	11	13
21H45A0339	22	24	15	15	5	14	10	14	8	11	11	9

Sign of the Faculty:

Dept. Exams Incharge

Exams Incharge

Principal



BVC Institute of Technology & Science
BATLAPEM, AMALAPURAM - 533 221

Regd. No	UHV2 R2041011		UMP R2041011		PPE R2041011		NDE R2041012		SE R2041012		DM R2041014	
	1st rd	2nd rd	1st rd	2nd rd	1st rd	2nd rd	1st rd	2nd rd	1st rd	2nd rd	1st rd	2nd rd
	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15
20H41A0301	22	26	15	15	9	12	10	11	10	13	12	12
20H41A0302	25	16	15	16	10	11	7	8	11	15	14	10
20H41A0303	25	20	12	14	3	12	8	10	6	12	12	9
20H41A0305	10	20	7	12	-1	7	-1	-1	4	10	-1	0
20H41A0307	10	22	-1	13	0	-1	-1	-1	-1	12	-1	10
20H41A0308	23	10	7	14	0	-1	-1	-1	6	12	-1	10
20H41A0309	20	22	14	13	0	-1	-1	-1	7	-1	-1	5
20H41A0310	24	22	15	14	8	12	7	6	7	11	12	10
20H41A0311	20	22	15	14	0	9	-1	6	9	11	-1	11
20H41A0312	26	22	12	14	2	12	-1	7	7	11	-1	9
20H41A0313	28	22	14	14	0	7	7	5	8	10	9	11
21H45A0301	24	28	15	15	4	15	8	12	7	14	11	13
21H45A0302	23	24	15	15	11	14	10	12	11	14	11	14
21H45A0303	23	24	15	15	-1	14	10	12	10	13	13	14
21H45A0304	24	16	15	15	10	14	11	11	12	11	12	9
21H45A0305	24	26	15	15	13	13	12	13	12	13	14	9
21H45A0306	24	26	15	15	11	14	11	4	12	12	13	13
21H45A0307	23	24	14	15	14	15	11	12	6	14	11	10
21H45A0308	22	24	15	15	10	14	9	12	7	13	9	14
21H45A0309	23	24	15	15	14	15	11	11	10	10	11	12
21H45A0310	22	22	15	14	10	12	10	13	10	9	10	11
21H45A0311	20	18	15	15	14	15	11	10	8	12	12	14
21H45A0312	22	10	14	15	3	10	-1	9	2	9	12	8
21H45A0313	10	24	15	15	14	12	12	15	11	14	10	12
21H45A0314	22	18	13	14	13	5	9	12	7	9	9	7
21H45A0315	24	14	7	15	8	14	5	12	5	12	12	13
21H45A0316	26	20	15	15	8	12	11	13	7	11	13	12
21H45A0317	24	18	15	15	8	13	11	11	8	11	14	13
21H45A0318	24	26	15	15	5	11	11	11	9	12	11	13

17.6



PRINCIPAL
VIT Institute of Technology & Science
VEM, AMALAPURAM - 533

Regd. No	UHV2 R2041011		UMP R204101C		PPE R204101H		NDE R204101Q		SE R204101Q		DM R204101V	
	1mid	2mid	1mid	2mid	1mid	2mid	1mid	2mid	1mid	2mid	1mid	2mid
	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15
21H45A0319	22	22	15	15	11	15	10	9	7	13	10	12
21H45A0320	26	26	15	15	14	12	12	11	10	13	12	12
21H45A0321	26	24	15	15	10	9	10	11	7	13	13	12
21H45A0322	20	19	7	10	1	5	5	2	3	8	7	6
21H45A0323	26	22	13	15	7	12	12	14	8	11	11	11
21H45A0324	24	24	14	15	12	12	12	12	5	11	11	12
21H45A0325	24	26	15	15	10	12	9	12	7	12	11	10
21H45A0326	25	22	15	15	10	11	11	13	6	10	10	10
21H45A0327	21	26	15	15	13	13	11	14	10	15	14	13
21H45A0328	10	22	14	14	8	12	8	13	9	10	9	11
21H45A0329	20	22	14	15	10	12	8	12	8	12	12	11
21H45A0330	16	22	15	15	12	12	10	11	8	12	11	14
21H45A0331	22	24	15	15	12	12	10	13	8	12	10	13
21H45A0332	23	28	15	15	13	14	12	14	11	12	10	12
21H45A0333	23	28	15	15	13	11	11	13	8	11	10	13
21H45A0334	24	22	13	15	4	10	-1	7	5	10	-1	11
21H45A0335	22	26	14	15	10	15	10	11	8	12	-1	13
21H45A0336	24	22	15	15	9	10	10	11	9	10	10	11
21H45A0337	26	26	14	15	14	15	10	14	9	11	9	12
21H45A0338	26	28	14	15	13	13	9	14	8	13	11	13
21H45A0339	25	24	15	15	5	14	10	14	8	11	11	9

Sign of the Faculty:

Dept. Exams Incharge

Exams Incharge

Principal



BVC Institute of Technology & Science
BATLAPEM, AMALAPURAM - 533 221

BONAM VENKATA CHALAMAYYA INSTITUTE OF TECHNOLOGY AND SCIENCE
GRIEVANCE REDRESSAL CELL

Form for sharing grievances (Applicable to Students, Teaching & Non-Teaching staff)

Date:

Sl No.	Type or category of grievance	Brief description of the grievance	Given by : (Name, ID, Sem & Dept./ Designation)	Date of grievance raising	Additional remarks, if any
1.	Academics.	Entry of marks is wrong. Instead of 10, marks displayed in notice board (MPMC).	D. Yajneswari 21H41A0412	09/05/24	

Related concerns, if any: _____

D. Yajneswari
Signature

For Grievance Redressal Cell use only:

Office/Section/Department/ IC Person the grievance belongs to	To be attended/acted upon by (name of the designated official)	Grievance raised on (date)	To be attended by (timeline)	Remarks, if any
ECE exam section	N. Suvarna Revathi	09/05/24	10/05/24	Grievance solved
Incharge	Lakshmi			

Space for comments: Typing mistake and marks are updated as 10 marks and displayed

Signatures and remarks of Approving authority (Principal/Management): _____



[Signature]
PRINCIPAL
 BVC Institute of Technology & Science
 BATLAPALEM, AMALAPURAM - 533 224

S No	Regd. No	MP MC R2012041		VLSID R2032042		DSP R2032043		MWE R201304A		CN R203207K	
		1mid	2mid	1mid	2mid	1mid	2mid	1mid	2mid	1mid	2mid
		mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15
216M1A04B6		10	13	15	12	15	15	9	13	12	11
21H41A0401		6	12	10	13	15	5	9	13	12	11
21H41A0402		8	11	13	14	15	15	8	12	13	12
21H41A0403		12	11	13	10	10	14	8	15	14	12
21H41A0404		12	12	15	13	15	14	12	14	14	9
21H41A0405		5	12	4	12	15	15	8	11	6	8
21H41A0406		13	11	15	14	15	15	12	13	15	14
21H41A0407		12	12	15	11	15	15	14	15	15	9
21H41A0408		12	12	14	-1	14	15	12	-1	12	8
21H41A0409		4	10	3	-1	15	12	10	-1	8	-1
21H41A0410		5	12	11	13	13	13	11	-1	-1	13
21H41A0411		8	11	15	8	15	15	10	12	13	14
21H41A0412		4	10	13	6	15	12	11	-1	10	13
21H41A0413		4	13	15	-1	13	15	11	-1	13	7
21H41A0414		13	11	13	12	15	15	12	15	13	14
21H41A0415		4	-1	9	10	13	12	10	-1	6	9
21H41A0416		9	12	8	6	15	10	8	10	12	11
21H41A0417		10	12	15	12	15	13	14	15	15	13
21H41A0418		5	10	9	7	14	12	8	-1	15	9
21H41A0419		9	13	14	10	15	14	11	11	15	14
21H41A0420		1	9	-1	-1	13	15	10	-1	7	12
21H41A0421		7	12	15	11	15	15	12	-1	15	14
21H41A0422		11	12	14	15	15	15	-1	15	14	14
21H41A0424		-1	-1	-1	-1	13	14	-1	-1	5	8
21H41A0425		12	12	10	14	15	15	10	13	13	14
21H41A0426		14	11	12	12	15	15	8	-1	14	10
21H41A0427		5	12	10	11	12	14	10	11	5	10
21H41A0428		8	11	5	13	15	13	11	14	5	9
21H41A0429		10	11	8	13	15	15	10	14	11	11

(66)

S No	Regd. No	MP MC		VLSI D		DSP		MWE		C N	
		R2012041		R2012042		R2012043		R2012044		R2012045	
		1st	2nd	1st	2nd	1st	2nd	1st	2nd	1st	2nd
		sem 15	sem 15	sem 15	sem 15	sem 15	sem 15	sem 15	sem 15	sem 15	sem 15
21H41A04B9	9	12	15	14	15	13	15	13	11		
21H41A04C1	9	13	14	12	13	15	9	13	9	11	
21H41A04C2	2	6	13	3	12	13	10	12	-1	11	
21H41A04C3	11	13	14	15	15	10	9	13	14	12	
21H41A04C4	10	-1	10	-1	13	13	-1	-1	11	3	
21H41A04C5	6	8	10	6	14	15	10	11	2	11	
21H41A04C6	9	12	14	14	15	15	12	12	8	11	
21H41A04C8	7	11	10	13	15	15	10	14	2	13	
21H41A04D1	10	2	10	-1	11	12	-1	-1	11	-1	
21H41A04D2	7	12	12	7	15	15	13	13	9	11	
22H45A0401	13	8	14	9	15	15	9	11	13	7	
22H45A0402	11	8	11	5	15	15	7	10	12	5	
22H45A0403	10	7	7	7	14	15	9	10	10	7	
22H45A0404	4	6	10	9	12	14	9	10	10	7	
22H45A0405	6	10	12	10	15	15	7	10	13	10	
22H45A0406	11	11	15	15	15	15	11	11	13	10	
22H45A0407	10	5	7	9	15	15	10	8	12	7	
22H45A0408	12	12	15	14	15	15	11	11	12	12	
22H45A0409	13	10	14	12	15	15	10	12	14	13	
22H45A0410	6	12	12	13	15	15	12	11	7	6	
22H45A0411	12	13	15	13	15	15	13	12	14	13	
22H45A0412	9	12	14	13	14	15	9	10	13	10	

Signature of the Faculty:

Dept. Exams Incharge

H O D

Exams Incharge

Principal

PRINCIPAL

BVC Institute of Technology & Science
BATLAPALEM, AMALAPURAM - 535 204



No.	Regd. No	MP MC		VLSID		DSP		MWE		CN	
		R2002041		R2002042		R2002043		R2002044		R2002045	
		Emul mm 15	Emul mm 15	Emul mm 15	Emul mm 15	Emul mm 15	Emul mm 15	Emul mm 15	Emul mm 15	Emul mm 15	Emul mm 15
	216M1A04130	10	13	15	12	15	15	9	13	12	11
	21H41A0401	6	12	10	13	15	5	9	13	12	11
	21H41A0402	8	11	13	14	15	15	8	12	13	12
	21H41A0403	12	11	13	10	10	14	8	15	14	12
	21H41A0404	12	12	15	13	15	14	12	14	14	9
	21H41A0405	5	12	4	12	15	15	8	11	6	8
	21H41A0406	13	11	15	14	15	15	12	13	15	14
	21H41A0407	12	12	15	11	15	15	14	15	15	9
	21H41A0408	12	12	14	-1	14	15	12	-1	12	8
	21H41A0409	4	10	3	10	15	12	10	-1	8	-1
	21H41A0410	5	12	11	13	13	13	11	-1	-1	13
	21H41A0411	8	11	15	8	15	15	10	12	13	14
	21H41A0412	4	10	13	6	15	12	11	-1	10	13
	21H41A0413	4	13	15	-1	13	15	11	-1	13	7
	21H41A0414	13	11	13	12	15	15	12	15	13	14
	21H41A0415	4	-1	9	10	13	12	10	-1	6	9
	21H41A0416	9	12	8	6	15	10	8	10	12	11
	21H41A0417	10	12	15	12	15	13	14	15	15	13
	21H41A0418	5	10	9	7	14	12	8	10	15	9
	21H41A0419	9	13	14	10	15	14	11	11	15	14
	21H41A0420	1	9	12	-1	13	10	10	-1	7	12
	21H41A0421	7	12	15	11	15	15	12	-1	15	14
	21H41A0422	11	12	14	15	15	15	-1	15	14	14
	21H41A0424	10	-1	12	-1	13	14	-1	10	5	8
	21H41A0425	12	12	10	14	15	15	10	13	13	14
	21H41A0426	14	11	12	12	15	15	8	10	14	10
	21H41A0427	5	12	10	11	12	14	10	11	5	10
	21H41A0428	8	11	5	13	15	13	11	14	5	9
	21H41A0429	10	11	8	13	15	15	10	14	11	11

No	Regd. No	MP MC R2012041		VLSI D R2012042		DSP R2012043		MWE R201204A		CN R201204K	
		1mid	2mid	1mid	2mid	1mid	2mid	1mid	2mid	1mid	2mid
		max 15	max 15	max 15	max 15	max 15	max 15	max 15	max 15	max 15	max 15
21H41A04B9	9	12	15	14	14	15	13	15	13	11	
21H41A04C1	9	13	14	12	13	15	9	13	9	11	
21H41A04C2	2	6	13	3	12	13	10	12	-1	11	
21H41A04C3	11	13	14	15	15	10	9	13	14	12	
21H41A04C4	10	-1	10	-1	13	13	-1	11	10	3	
21H41A04C5	6	8	10	6	14	15	10	11	2	12	
21H41A04C6	9	12	14	14	15	15	12	12	8	11	
21H41A04C8	7	11	10	13	15	15	10	14	2	13	
21H41A04D1	10	2	10	-1	11	12	-1	11	12	-1	
21H41A04D2	7	12	12	7	15	15	13	13	9	11	
22H45A0401	13	8	14	9	15	15	9	11	13	7	
22H45A0402	11	8	11	5	15	15	7	10	12	5	
22H45A0403	10	7	7	7	14	15	9	10	10	7	
22H45A0404	4	6	10	9	12	14	9	10	10	7	
22H45A0405	6	10	12	10	15	15	7	10	13	10	
22H45A0406	11	11	15	15	15	15	11	11	13	10	
22H45A0407	10	5	7	9	15	15	10	8	12	7	
22H45A0408	12	12	15	14	15	15	11	11	12	12	
22H45A0409	13	10	14	12	15	15	10	12	14	13	
22H45A0410	6	12	12	13	15	15	12	11	7	6	
22H45A0411	12	13	15	13	15	15	13	12	14	13	
22H45A0412	9	12	14	13	14	15	9	10	13	10	

Signature of the Faculty: *[Handwritten signatures]*

Dept. Exams Incharge *[Handwritten signature]*

HOD *[Handwritten signature]*

Exams Incharge *[Handwritten signature]*

Principal *[Handwritten signature]*



PRINCIPAL
BVC Institute of Technology & Science
BATLAPALEM, AMALAPURAM - 533 224

**BONAM VENKATA CHALAMAYYA INSTITUTE OF TECHNOLOGY AND SCIENCE
GRIEVANCE REDRESSAL CELL**

Form for sharing grievances (Applicable to Students, Teaching & Non-Teaching staff) Date:

Sl No.	Type or category of grievance	Brief description of the grievance	Given by: (Name, ID, Sem & Dept / Designation)	Date of grievance raising	Additional remarks, if any
1.	Academics	Wrong entry of midmarks Entered 5 instead of 10 for FMM.	M. Farhan Hussain 21H41A0512 CSE	26/9/23	

Related concerns, if any: _____

M. F. Hussain
Signature

For Grievance Redressal Cell use only:

Office/Section/Department/ DC Person the grievance belongs to	To be attended/acted upon by (name of the designated official)	Grievance raised on (date)	To be attended by (timeline)	Remarks, if any
CSE Exam Section Incharge.	M. Tilak.	26/9/23	27/9/23	Grievance solved.

Space for comments: _____

Signatures and remarks of Approving authority (Principal/Management) _____

Typing mistake done while entry and marks updated and displayed.



(Handwritten signature)

PRINCIPAL
BVC Institute of Technology & Science
BATLAPALEM, AMALAPURAM - 533 221

Sl. No.	Regd. No	CN		DAA		DWDM		FMM		SPM	
		R2031051		R2031052		R2031053		R2031041		R203105B	
		1mid	2mid	1mid	2mid	1mid	2mid	1mid	2mid	1mid	2mid
		mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15
*	216M1A0501										
*	21H41A0501	8		-1		-1		10		15	
*	21H41A0502	10		8		12		10		15	
*	21H41A0503	13		14		14		15		15	
*	21H41A0504	13		11		14		15		15	
*	21H41A0505	14		12		14		15		15	
*	21H41A0506	14		14		14		15		15	
*	21H41A0507	12		10		10		12		15	
*	21H41A0508	11		13		11		13		15	
"	21H41A0509	15		14		15		15		15	
"	21H41A0510	7		10		9		12		15	
"	21H41A0511	8		8		11		11		15	
"	21H41A0512	3		6		4		5 to		13	
"	21H41A0513	-1		-1		-1		-1		-1	
"	21H41A0514	14		15		8		15		15	
"	21H41A0515	12		14		15		15		15	
"	21H41A0516	14		14		14		15		15	
"	21H41A0517	13		12		12		11		15	
"	21H41A0518	12		10		9		11		15	
"	21H41A0519	13		13		12		12		15	
"	21H41A0520	10		13		12		12		15	
"	21H41A0521	13		11		14		12		15	
"	21H41A0522	8		9		7		11		13	
"	21H41A0523	12		11		13		8		15	
"	21H41A0524	9		13		13		12		15	
"	21H41A0525	14		13		9		12		15	
"	21H41A0526	11		10		14		12		15	
"	21H41A0527	10		10		11		9		15	
"	21H41A0528	10		11		12		13		15	

S No	Regd. No	CN		DAA		DWDM		FMM		SPM	
		R2031051		R2031052		R2031053		R2031041		R203105B	
		1mid	2mid	1mid	2mid	1mid	2mid	1mid	2mid	1mid	2mid
		mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15
123	21H41A05C1	13		11		14		14		15	
125	21H41A05C2	15		13		14		15		15	
124	21H41A05C4	9		1		8		9		10	
126	21H41A05C5	11		8		13		12		15	
126	21H41A05C6	7		6		10		4		15	
127	21H41A05C7	10		9		14		5		14	
128	21H41A05C8	13		10		11		14		15	
129	21H41A05D0	13		11		10		12		15	
130	22H45A0501	12		11		10		13		15	
131	22H45A0502	5		7		12		11		10	
132	22H45A0503	3		8		12		11		14	
133	22H45A0504	6		0		9		12		9	
134	22H45A0505	4		3		9		11		15	
135	22H45A0506	4		10		8		12		13	
136	22H45A0507	3		3		8		11		13	
137	22H45A0508	13		13		13		15		15	
138	22H45A0509	12		13		11		15		15	
139	22H45A0510	14		13		14		15		15	
140	22H45A0511	14		10		13		15		15	
141	22H45A0512	12		13		14		14		15	
142	22H45A0513	8		12		11		12		15	

Signature of the Faculty:

Dept. Exams Incharge

HOD

Exams Incharge






Principal
PRINCIPAL


RVC Institute of Technology & Sciences
BATLAPALEM, AMALAPURAM - 533 221



S No	Regd. No	CN		DAA		DWDM		FMM		SPM	
		R2031051		R2031052		R2031053		R2031041		R203105B	
		1mid	2mid	1mid	2mid	1mid	2mid	1mid	2mid	1mid	2mid
		mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15
	216M1A0501										
	21H41A0501	8		-1		-1		10		15	
	21H41A0502	10		8		12		10		15	
	21H41A0503	13		14		14		15		15	
	21H41A0504	13		11		14		15		15	
	21H41A0505	14		12		14		15		15	
	21H41A0506	14		14		14		15		15	
	21H41A0507	12		10		10		12		15	
	21H41A0508	11		13		11		13		15	
	21H41A0509	15		14		15		15		15	
	21H41A0510	7		10		9		12		15	
	21H41A0511	8		8		11		11		15	
	21H41A0512	3		6		4		10		13	
	21H41A0513	-1		-1		-1		-1		-1	
	21H41A0514	14		15		8		15		15	
	21H41A0515	12		14		15		15		15	
	21H41A0516	14		14		14		15		15	
	21H41A0517	13		12		12		11		15	
	21H41A0518	12		10		9		11		15	
	21H41A0519	13		13		12		12		15	
	21H41A0520	10		13		12		12		15	
	21H41A0521	13		11		14		12		15	
	21H41A0522	8		9		7		11		13	
	21H41A0523	12		11		13		8		15	
	21H41A0524	9		13		13		12		15	
	21H41A0525	14		13		9		12		15	
	21H41A0526	11		10		14		12		15	
	21H41A0527	10		10		11		9		15	
	21H41A0528	10		11		12		13		15	

S. No	Regd. No	C N		D A A		D W D M		F M M		S P M	
		R2031051		R2031052		R2031053		R2031041		R203105B	
		1mid	2mid	1mid	2mid	1mid	2mid	1mid	2mid	1mid	2mid
		mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15
122	21H41A05C1	13		11		14		14		15	
123	21H41A05C2	15		13		14		15		15	
124	21H41A05C4	9		1		8		10		10	
125	21H41A05C5	11		8		13		12		15	
126	21H41A05C6	7		6		10		8		15	
127	21H41A05C7	10		9		14		5		14	
128	21H41A05C8	13		10		11		14		15	
129	21H41A05D0	13		11		10		12		15	
130	22H45A0501	12		11		10		13		15	
131	22H45A0502	5		7		12		11		10	
132	22H45A0503	3		8		12		11		14	
133	22H45A0504	6		0		9		12		9	
134	22H45A0505	4		3		9		11		15	
135	22H45A0506	4		10		8		12		13	
136	22H45A0507	3		3		8		11		13	
137	22H45A0508	13		13		13		15		15	
138	22H45A0509	12		13		11		15		15	
139	22H45A0510	14		13		14		15		15	
140	22H45A0511	14		10		13		15		15	
141	22H45A0512	12		13		14		14		15	
142	22H45A0513	8		12		11		12		15	

Signature of the Faculty:     

Dept. Exams Incharge 

HOD 

Exams Incharge 

Principal 

BVC Institute of Technology & Science
BATLAPALEM, AMALAPURAM - 533 221



BONAM VENKATA CHALAMAYYA INSTITUTE OF TECHNOLOGY AND SCIENCE
GRIEVANCE REDRESSAL CELL

Form for sharing grievances (Applicable to Students, Teaching & Non-Teaching staff)

Date:

Sl No.	Type or category of grievance	Brief description of the grievance	Given by: (Name, ID, Sem & Dept./ Designation)	Date of grievance raising	Additional remarks, if any
1.	Academics	wrong entry instead of 15 entered 3	U.Sai chakraborti 20241A543, AIDS	30/12/2023	
2.	Academics	wrong entry instead of 8 entered 3			

Related concerns, if any: _____

U. Charyapani
Signature

For Grievance Redressal Cell use only:

Office/Section/Department/ I/C Person the grievance belongs to	To be attended/acted upon by (name of the designated official)	Grievance raised on (date)	To be attended by (timeline)	Remarks, if any
CSR - AIDS Exam Section Incharge	Gr. Tulasi	30/12/23	3/1/2024	Solved and updated marks

Space for comments: _____

Wrong Entry of marks while updating to the system - Grievance raised & solved

Signatures and remarks of Approving authority (Principal/Management): _____



PRINCIPAL
 BVC Institute of Technology & Science
 BATLAPALEM, AMALAPURAM - 533 229

No	Regd. No	UHV2		AICB		CC		BCT		DC		EM	
		R2041011		R2041421		R2041420		R204142P		R204104V		R204101R	
		1mid mm 30	2mid mm 30	1mid mm 15	2mid mm 15	1mid mm 15	2mid mm 15	1mid mm 15	2mid mm 15	1mid mm 15	2mid mm 15	1mid mm 15	2mid mm 15
"	20H41A4531	28	28	15	15	14	14	14	14	9	7	15	15
"	20H41A4532	22	28	15	14	10	14	13	15	12	12	15	14
"	20H41A4533	26	25	11	4	2	8	7	8	4	11	12	13
"	20H41A4534	27	27	15	15	13	13	12	11	11	12	15	14
"	20H41A4535	26	26	15	14	14	14	14	9	9	6	15	13
"	20H41A4536	27	26	11	15	13	11	14	12	8	15	13	15
"	20H41A4537	27	28	14	14	11	14	11	12	8	13	15	14
"	20H41A4538	22	26	15	14	7	13	12	13	9	11	14	15
"	20H41A4539	23	24	12	9	4	8	0	13	6	9	9	10
"	20H41A4540	19	26	14	15	5	13	12	10	7	12	14	13
"	20H41A4541	28	28	15	15	14	14	14	13	12	13	15	15
"	20H41A4542	22	24	13	14	6	8	10	14	10	6	14	15
"	20H41A4543	26	24	15	14	14	14	14	10	10	9	15	14
"	20H41A4544	21	25	13	14	6	13	8	12	9	10	13	15
"	20H41A4545	28	28	15	15	13	13	10	14	10	13	15	15
"	20H41A4546	22	28	15	15	14	14	14	13	14	15	15	15
"	20H41A4547	27	26	15	15	5	14	11	14	11	14	14	15
"	20H41A4548	28	28	13	15	11	13	11	12	10	10	11	11
"	20H41A4549	28	26	15	15	11	13	9	10	10	8	13	13
"	20H41A4550	22	28	15	13	13	13	8	13	8	6	15	13
"	20H41A4551	23	26	15	14	14	14	12	14	8	14	14	14
"	20H41A4552	24	28	15	15	13	14	12	15	14	13	15	14
"	20H41A4553	27	28	15	14	15	14	14	15	11	12	15	14
"	20H41A4554	28	28	15	14	14	14	13	13	12	14	15	15
"	20H41A4555	26	26	14	14	12	12	14	12	9	14	13	15
"	20H41A4556	23	28	15	15	12	14	15	15	12	15	15	15
"	20H41A4557	24	26	15	15	12	14	11	12	11	15	15	15
"	20H41A4558	26	28	15	14	14	15	12	15	14	13	14	15
"	20H41A4559	23	28	15	14	14	13	12	11	11	11	14	15

Regd. No	UHV2		AICB		CC		BCT		DC		EM	
	R2041011		R204142I		R204142O		R204142P		R204104V		R204101R	
	1mid	2mid	1mid	2mid	1mid	2mid	1mid	2mid	1mid	2mid	1mid	2mid
	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15
20H41A4560	25	27	15	15	15	14	13	14	11	10	15	15
20H41A4561	24	27	15	15	14	14	12	10	12	15	15	15
21H45A4501	21	26	15	15	14	15	15	14	14	14	15	15
21H45A4502	27	28	15	14	10	13	12	10	9	13	14	14
21H45A4503	21	26	13	14	12	14	10	13	11	14	15	15
21H45A4504	22	25	15	13	13	13	11	11	11	10	15	11
21H45A4505	24	25	15	15	14	14	14	12	10	14	14	12
21H45A4506	25	25	15	13	10	13	9	10	11	10	14	12
21H45A4507	24	22	11	13	6	8	8	8	9	7	11	10

of the Faculty:

Exams Incharge

[Handwritten Signature]
HOD

Exams Incharge

[Handwritten Signature]

[Handwritten Signature]

[Handwritten Signature]
Principal



PRINCIPAL
BVC Institute of Technology & Science
BATLAPALEM, AMALAPURAM - 532 227

Regd. No	UHV2 R2041011		AICB R2041421		CC R2041420		BCT R204142P		DC R204104V		EM R204101R	
	1mid mm 15	2mid mm 15	1mid mm 15	2mid mm 15	1mid mm 15	2mid mm 15	1mid mm 15	2mid mm 15	1mid mm 15	2mid mm 15	1mid mm 15	2mid mm 15
20H41A4531	28	28	15	15	14	14	14	14	9	7	15	15
20H41A4532	22	28	15	14	10	14	13	15	12	12	15	14
20H41A4533	26	25	11	4	2	8	7	8	4	11	12	13
20H41A4534	27	27	15	15	13	13	12	11	11	12	15	14
20H41A4535	26	26	15	14	14	14	14	9	9	6	15	13
20H41A4536	27	26	11	15	13	11	14	12	8	15	13	15
20H41A4537	27	28	14	14	11	14	11	12	8	13	15	14
20H41A4538	22	26	15	14	7	13	12	13	9	11	14	15
20H41A4539	23	24	12	9	4	8	0	13	6	9	9	10
20H41A4540	19	26	14	15	5	13	12	10	7	12	14	13
20H41A4541	28	28	15	15	14	14	14	13	12	13	15	15
20H41A4542	22	24	13	14	6	8	10	14	10	6	14	15
20H41A4543	26	24	15	14	14	14	14	10	10	9	15	14
20H41A4544	21	25	13	14	6	13	8	12	9	10	13	15
20H41A4545	28	28	15	15	08	13	10	14	10	13	15	15
20H41A4546	22	28	15	15	14	14	14	13	14	15	15	15
20H41A4547	27	26	15	15	5	14	11	14	11	14	14	15
20H41A4548	28	28	13	15	11	13	11	12	10	10	11	11
20H41A4549	28	26	15	15	11	13	9	10	10	8	13	13
20H41A4550	22	28	15	13	13	13	8	13	8	6	15	13
20H41A4551	23	26	15	14	14	14	12	14	8	14	14	14
20H41A4552	24	28	15	15	13	14	12	15	14	13	15	14
20H41A4553	27	28	15	14	15	14	14	15	11	12	15	14
20H41A4554	28	28	15	14	14	14	13	13	12	14	15	15
20H41A4555	26	26	14	14	12	12	14	12	9	14	13	15
20H41A4556	23	28	15	15	12	14	15	15	12	15	15	15
20H41A4557	24	26	15	15	12	14	11	12	11	15	15	15
20H41A4558	26	28	15	14	14	14	15	12	15	14	13	14
20H41A4559	23	28	15	14	14	14	13	12	11	11	11	14

Regd. No	UHV2		AICB		CC		BCT		DC		EM	
	R2041011		R2041421		R2041420		R204142P		R204104V		R204101R	
	1mid mm 15	2mid mm 15	1mid mm 15	2mid mm 15	1mid mm 15	2mid mm 15	1mid mm 15	2mid mm 15	1mid mm 15	2mid mm 15	1mid mm 15	2mid mm 15
20H41A4560	25	27	15	15	15	14	13	14	11	10	15	15
20H41A4561	24	27	15	15	14	14	12	10	12	15	15	15
21H45A4501	21	26	15	15	14	15	15	14	14	14	15	15
21H45A4502	27	28	15	14	10	13	12	10	9	13	14	14
21H45A4503	21	26	13	14	12	14	10	13	11	14	15	15
21H45A4504	22	25	15	13	13	13	11	11	11	10	15	11
21H45A4505	24	25	15	15	14	14	14	12	10	14	14	12
21H45A4506	25	25	15	13	10	13	9	10	11	10	14	12
21H45A4507	24	22	11	13	6	8	8	8	9	7	11	10

of the Faculty:

Exams Incharge

HOD

Exams Incharge

Principal



PRINCIPAL
BVC Institute of Technology & Science
BATLAPALEM, AMALAPURAM - 535 221

BONAM VENKATA CHALAMAYYA INSTITUTE OF TECHNOLOGY AND SCIENCE

GRIEVANCE REDRESSAL CELL

Form for sharing grievances (Applicable to Students, Teaching & Non-Teaching staff)

Date: 22/4/2024

Sl No.	Type or category of grievance	Brief description of the grievance	Given by: (Name, ID, Sem & Dept./ Designation)	Date of grievance raising	Additional remarks, if any
1	Academic	wrong entry III-II marks in IOT subject, I got 11 marks, but notice board shows 1 mark.	Y. S. S. B. Sharma 21H41A 6165	22/4/2024	

Related concerns, if any: _____

Y. Sharma
Signature

For Grievance Redressal Cell use only:

Office/Section/Department/ I/C Person the grievance belongs to	To be attended/acted upon by (name of the designated official)	Grievance raised on (date)	To be attended by (timeline)	Remarks, if any
BVC Exam Section	M. L. Reddy	22/4/2024	24/4/2024	Grievance redressal cell solved

Space for comments: _____

Typing mistake

Signatures and remarks of Approving authority (Principal/Management): _____

PRINCIPAL

BVC Institute of Technology & Science
BATLAPALEM, AMALAPURAM - 533 221



A 423 2000 000.13	Regd. No	BE R203204P		IOT R203242C		CN R203242I		DL R2032422		DAA R2032423	
		1mid	2mid	1mid	2mid	1mid	2mid	1mid	2mid	1mid	2mid
		mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15
10	21H41A6160	7	8	10	7	8	9	9	9	11	1
14	21H41A6161	14	12	13	11	12	14	15	14	11	5
14	21H41A6162	12	14	14	12	14	14	9	15	13	12
11	21H41A6163	9	15	10	13	11	14	12	14	13	13
12	21H41A6164	9	13	10	10	12	10	10	9	12	11
12	21H41A6165	14	14	13	①	13	14	13	13	13	15
15	21H41A6166	13	14	13	15	13	15	12	14	11	10
12	22H45A6101	12	13	15	14	9	14	10	13	12	12
13	22H45A6102	7	11	11	12	9	11	9	12	9	3
15	22H45A6103	13	15	15	14	14	14	15	15	13	15
8	22H45A6104	4	4	7	9	7	8	9	9	10	8
10	22H45A6105	12	10	15	10	9	13	13	12	11	8
10	22H45A6106	13	15	15	11	11	12	11	14	14	12

Signature of the Faculty:

Dept. Exams Incharge

HOD

Exams Incharge

Principal

PRINCIPAL
BVC Institute of Technology & Science
BATLAPALEM, AMALAPURAM



Sl. No.	Regd. No	BE		IOT		CN		DL		DAA	
		R203204P		R203242C		R203242I		R2032422		R2032423	
		1mid	2mid	1mid	2mid	1mid	2mid	1mid	2mid	1mid	2mid
		mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15	mm 15
10	21H41A6160	7	8	10	7	8	9	9	9	11	1
14	21H41A6161	14	12	13	11	12	14	15	14	11	5
14	21H41A6162	12	14	14	12	14	14	9	15	13	12
11	21H41A6163	9	15	10	13	11	14	12	14	13	13
12	21H41A6164	9	13	10	10	12	10	10	9	12	11
12	21H41A6165	14	14	13	11	13	14	13	13	13	15
15	21H41A6166	13	14	13	15	13	15	12	14	11	10
12	22H45A6101	12	13	15	14	9	14	10	13	12	12
13	22H45A6102	7	11	11	12	9	11	9	12	9	3
15	22H45A6103	13	15	15	14	14	14	15	15	13	15
8	22H45A6104	4	4	7	9	7	8	9	9	10	8
17	22H45A6105	12	10	15	10	9	13	13	12	11	8
19	22H45A6106	13	15	15	11	11	12	11	14	14	12

Signature of the Faculty:

Dept. Exams Incharge

[Signature]
HOD

[Signature]
Exams Incharge

[Signature]
Principal

PRINCIPAL
BVC Institute of Technology & Science
BATLAPEM, AMALAPURAM



BONAM VENKATA CHALAMAYYA INSTITUTE OF TECHNOLOGY AND SCIENCE

GRIEVANCE REDRESSAL CELL

Form for sharing grievances (Applicable to Students, Teaching & Non-Teaching staff)

Date: 13/03/2024

Sl No.	Type or category of grievance	Brief description of the grievance	Given by: (Name, ID, Sem & Dept./ Designation)	Date of grievance raising	Additional remarks, if any
1.	Academics	wrong entry of mid marks Entered 4 instead of 7 marks displayed in notice board	Motha-Uday 22H41E0032	13-03-2024	

Related concerns, if any: _____

M. Uday
Signature

For Grievance Redressal Cell use only:

Office/Section/Department/ I/C Person the grievance belongs to	To be attended/acted upon by (name of the designated official)	Grievance raised on (date)	To be attended by (timeline)	Remarks, if any
MBA Examsection incharge	V. Padma sri	13-03-2024	14-03-2024	Grievance solved

Space for comments: Typing mistake done while entry and marks updated, displayed

Signatures and remarks of Approving authority (Principal/Management): _____



PRINCIPAL
 BONAM VENKATA CHALAMAYYA INSTITUTE OF TECHNOLOGY & SCIENCE
 PALAYAMNIPURAM - 505 001

Regd No	MID 1	MPI	MID 1	MPI	MID 1	MPI	MID 1	MPI	MID 1	MPI	MID 1	MPI	
	SCMA MB1941		IAE MB1942		FD MB19481		GFM MB19482		FRM MB19483		SFM MB19484		
19	22H41E0031	15	10	15	10 ✓	14 ✓	10 ✓	14	10	14	10	15	10 ✓
20	22H41E0032	13	10	12	9 ✓	12 ✓	4 ✓	13	9	10	4 ✓	13	7 ✓
21	22H41E0033	15	10	14	8 ✓	13 ✓	10 ✓	15	10	14 ✓	10 ✓	14	9 ✓
22	22H41E0038	15	10	14	9 ✓	13 ✓	10 ✓	15	10	12 ✓	10 ✓	14	9 ✓
23	22H41E0039	12	10	13	9 ✓	12 ✓	8 ✓	13	10 ✓	13 ✓	8 ✓	13	9 ✓
24	22H41E0040	14	10	14	9 ✓	13 ✓	10 ✓	14	10	13 ✓	10 ✓	15	10 ✓
25	22H41E0041	14	10	14	8 ✓	13 ✓	10 ✓	14	10	12 ✓	10 ✓	13	9 ✓
26	22H41E0045	13	10	13	10 ✓	13 ✓	10 ✓	10	10	13 ✓	10 ✓	12	10 ✓
27	22H41E0047	13	10	12	9 ✓	13 ✓	10 ✓	13	9	12 ✓	10 ✓	13	7 ✓
28	22H41E0050	12	10	12	8 ✓	12 ✓	10 ✓	15	10	13 ✓	10 ✓	14	9 ✓
29	22H41E0051	12	10	13	9 ✓	13 ✓	10 ✓	15	10	13 ✓	10 ✓	14	9 ✓
30	22H41E0052	13	10	13	8 ✓	12 ✓	10 ✓	14	10	13 ✓	10 ✓	14	9 ✓

Signature of the Faculty:

Staf

Dept Exams incharge

V. D. ...

Examin in charge

Principal

PRINCIPAL
BVC Institute of Technology &
BATLPALEM-533 221



S No	Regd No	MID I	MPI	MID I	MPI	MID I	MPI	MID I	MPI	MID I	MPI	MID I	MPI
		SCMA MB1941		IAE MB1942		FD MB1943		GFM MB1942		FRM MB1943		SFM MB1944	
19	22H41E0031	15	10	15	10	14	10	14	10	14	10	15	10
20	22H41E0032	13	10	12	9	12	4	13	9	10	7	13	7
21	22H41E0033	15	10	14	8	13	10	15	10	14	10	14	9
22	22H41E0038	15	10	14	9	13	10	15	10	12	10	14	9
23	22H41E0039	12	10	13	9	12	8	13	10	13	8	13	9
24	22H41E0040	14	10	14	9	13	10	14	10	13	10	15	10
25	22H41E0041	14	10	14	8	13	10	14	10	12	10	13	9
26	22H41E0045	13	10	13	10	13	10	10	10	13	10	12	10
27	22H41E0047	13	10	12	9	13	10	13	9	12	10	13	7
28	22H41E0050	12	10	12	8	12	10	15	10	13	10	14	9
29	22H41E0051	12	10	13	9	13	10	15	10	13	10	14	9
30	22H41E0052	13	10	13	8	12	10	14	10	13	10	14	9

Signature of the Faculty:

Dept Exams incharge *V. Radhika*

[Signature]
Exams in charge

[Signature]
Principal

PRINCIPAL
JVC Institute of Technology
BATLAPALEM-533



BONAM VENKATA CHALAMAYYA INSTITUTE OF TECHNOLOGY AND SCIENCE
GRIEVANCE REDRESSAL CELL

Form for sharing grievances (Applicable to Students, Teaching & Non-Teaching staff)

Date:

Sl No.	Type or category of grievance	Brief description of the grievance	Given by: (Name, ID, Sem & Dept./ Designation)	Date of grievance raising	Additional remarks, if any
1	Academics	Entry marks is wrong instead of 19.22.19 Displayed in the Notices Board (MLP)	227141F0001 Adabala Sai Shulasi	20/12/23	

Related concerns, if any: _____


A.S. Tulas
Signature

For Grievance Redressal Cell use only:

Office/Section/Department/ I/C Person the grievance belongs to	To be attended/acted upon by (name of the designated official)	Grievance raised on (date)	To be attended by (timeline)	Remarks, if any
MCA Exam Section Incharge	P.B.L. Aparna	20/12/23	21/12/23	Grievance solved.

Space for comments: Typing Mistake & Marks are updated to 22, second mid & displayed
 Signatures and remarks of Approving authority (Principal/Management): _____




 PRINCIPAL
 BVC Institute of Technology & Science
 SATI ROAD, AMALAPURAM - 533 221

B V C INSTITUTE OF TECHNOLOGY AND SCIENCE:: AMALAPURAM
MASTER OF COMPUTER APPLICATIONS III SEM MID MARKS (22 BATCH)
THEORY & LAB MARKS

Regd No	MID1	MID2	MID1	MID2	MID1	MID2	MID1	MID2	MID1	MID2	MID1	MID2	MINI PROJECT SKILL DEV MC2038	
	MLP MC2031		IOT MC2032		WT MC2033		CNS MC2034		CC MC2035C		MLP LAB MC2036	IOT LAB MC2037	WT LAB MC2038	
	M M: 30												M M: 50	
226M1F0009	23	23	20	24	29	29	27	25	21	25	28	25	28	47
22H41F0001	19 ₂₂	19 ²²	21	23 ₂₆	29	29	28	25	26	19	28	25	29	46
22H41F0002	22	24	18	24 ₂₇	28	29	28	25	26	22	28	25	28	48
22H41F0003	26	20	21	24 ₂₇	26	29	26	22	24	19	27	24	24	45
22H41F0004	18	24	16	23	29	29	23	22	25	23	28	24	27	47
22H41F0005	29	26	20	27	29	30	30	24	28	25	28	25	29	46
22H41F0006	29	27	23	25	29	29	27	25	28	24	29	25	28	47
22H41F0007	27	28	21	24	29	28	25	26	26	24	27	26	28	45
22H41F0008	20	25	23	24	27	29	26	22	26	22	29	28	28	47
22H41F0009	30	27	23	27	29	29	29	28	28	25	28	25	27	48
22H41F0010	25	24	17	23 ₂₇	28	29	23	25	27	24	27	25	28	49
22H41F0011	26	25	17	23 ₂₇	28	27	25	22	25	20	28	25	28	47
22H41F0012	26	16	18	25	29	23	21	23	24	24	25	24	25	46
22H41F0013	24	26	17	24	29	29	22	22	22	22	29	28	26	47
22H41F0014	24	29	22	26	29	29	27	27	26	25	27	25	26	45
22H41F0015	23	22	14	24 ₂₇	28	26	26	28	22	21	28	28	28	46

51

Regd No	MLP MC2031		IOT MC2032		WT MC2033		CNS MC2034		CC MC2035C		MLP LAB MC2036	IOT LAB MC2037	WT LAB MC2038	MINI PROJECT/ SKILL DEV. MC2039
	MID1	MID2	MID1	MID2	MID1	MID2	MID1	MID2	MID1	MID2				
22H41F00C7	20	27	20	22 ²⁴	29	28	22	25	20	24	28	24	28	45
22H41F00C8	26	26	24	24	29	29	29	26	26	26	28	26	29	46
22H41F00C9	25	25	24	25	29	29	28	26	18	24	29	24	29	48
22H41F00D0	21	26	13	25	27	29	21	30	18 ²⁰	19 ²²	30	25	30	49
22H41F00D1	26	23	20	24 ²⁷	29	29	22	24	22	24	29	27	28	46
22H41F00D2	30	27	17	28	29	29	30	29	27	28	29	28	29	47

Sign. of the Faculty:

Dept. Exams - incharge

HOD

Exams - incharge

Principal

PRINCIPAL

BVC Institute of Technology & Science
RATLAPALEM-533 221



JAWAHARLAL NEHRU TECHNOLOGICAL UNIVERSITY KAKINADA

Internal marks for MCA III Semester

College: B V CHALAMIAH INST. OF TECH. & SCI., BATLAPALEM, AMALAPURA:H4

Date:05-02-2024

HTNO	SUBJECT	MID_1	MID_2	FINAL	SUB_TYPE
226M1F0009	MC2031	23	23	23	T
226M1F0009	MC2032	20	24	24	T
226M1F0009	MC2033	29	29	29	T
226M1F0009	MC2034	27	25	27	T
226M1F0009	MC2035C	21	25	25	E2
226M1F0009	MC2036	0	28	28	L
226M1F0009	MC2037	0	25	25	L
226M1F0009	MC2038	0	28	28	L
226M1F0009	MC2039	0	47	47	P
22H41F0001	MC2031	22	22	22	T
22H41F0001	MC2032	21	26	25	T
22H41F0001	MC2033	29	29	29	T
22H41F0001	MC2034	28	25	28	T
22H41F0001	MC2035C	26	19	25	E2
22H41F0001	MC2036	0	28	28	L
22H41F0001	MC2037	0	25	25	L
22H41F0001	MC2038	0	29	29	L
22H41F0001	MC2039	0	46	46	P
22H41F0002	MC2031	22	24	24	T
22H41F0002	MC2032	18	27	26	T
22H41F0002	MC2033	28	29	29	T
22H41F0002	MC2034	28	25	28	T
22H41F0002	MC2035C	26	22	26	E2
22H41F0002	MC2036	0	28	28	L
22H41F0002	MC2037	0	25	25	L
22H41F0002	MC2038	0	28	28	L
22H41F0002	MC2039	0	48	48	P
22H41F0003	MC2031	26	20	25	T
22H41F0003	MC2032	21	27	26	T
22H41F0003	MC2033	26	29	29	T
22H41F0003	MC2034	26	22	26	T
22H41F0003	MC2035C	24	19	23	E2
22H41F0003	MC2036	0	27	27	L
22H41F0003	MC2037	0	24	24	L
22H41F0003	MC2038	0	24	24	L
22H41F0003	MC2039	0	45	45	P
22H41F0004	MC2031	18	24	23	T
22H41F0004	MC2032	16	23	22	T
22H41F0004	MC2033	29	29	29	T
22H41F0004	MC2034	23	22	23	T
22H41F0004	MC2035C	25	23	25	E2



PRINCIPAL
BVC Institute of Technology & Science
BATLAPALEM, AMALAPURAM - 533 001
on OnePlus

HTNO	SUBJECT	MID_1	MID_2	FINAL	SUB_TYPE
22H41F00D0	MC2033	27	29	29	T
22H41F00D0	MC2034	21	30	29	T
22H41F00D0	MC2035C	20	22	22	E2
22H41F00D0	MC2036	0	30	30	L
22H41F00D0	MC2037	0	25	25	L
22H41F00D0	MC2038	0	30	30	L
22H41F00D0	MC2039	0	49	49	P
22H41F00D1	MC2031	26	23	26	T
22H41F00D1	MC2032	20	27	26	T
22H41F00D1	MC2033	29	29	29	T
22H41F00D1	MC2034	22	24	24	T
22H41F00D1	MC2035C	22	24	24	E2
22H41F00D1	MC2036	0	29	29	L
22H41F00D1	MC2037	0	27	27	L
22H41F00D1	MC2038	0	28	28	L
22H41F00D1	MC2039	0	46	46	P
22H41F00D2	MC2031	30	27	30	T
22H41F00D2	MC2032	17	28	26	T
22H41F00D2	MC2033	29	29	29	T
22H41F00D2	MC2034	30	29	30	T
22H41F00D2	MC2035C	27	28	28	E2
22H41F00D2	MC2036	0	29	29	L
22H41F00D2	MC2037	0	28	28	L
22H41F00D2	MC2038	0	29	29	L
22H41F00D2	MC2039	0	47	47	P



W
PRINCIPAL

Verified by: **PRINCIPAL**
BVC Institute of Technology & Science
BATLAPALEM, AMALAPURAM - 533 221

[Signature]

Controller of Examinations

Date and Time: 05-02-2024 10:14